



The benchmark for quality and innovation



# Salamander Grills



# Ergonomic Design with Versatility

Hobart offer a choice of Salamanders in either gas or electric with removable drip trays and easy glide counter balanced tops. Along with a gas heavy duty, Salamander Grill which is not only efficient and economical but can be wall mounted or bench mounted.

The range comprises of Salamanders with either three-sided access or front access only, described as Rise & Fall and Static Enclosed.

The three-sided access models have a movable base and top, enabling the operator to increase or reduce the intensity of the heat on the product to achieve the desired finished effect.



SAE560 Salamander grill with adjustable height heat source



SET 1 Grill Salamander with three fixed rack positions



SAE650 Salamander grill with adjustable height grilling shelf

The range of Salamanders comprises:


- Cabinet made in satin finished stainless steel.
- Chrome plated steel grids.
- Handles of thermally insulated material.
- Extractable drip tray.
- Electric heating – 2/4 independent temperature zones.
- Incoloy heating elements.
- Gas heating – 2 radiant gas burners.
- Piezo electric ignition.
- Rapid heat up.



IRB36E Salamander with Infra red burner and Pistol grip height adjuster

### Salamander Grills – Gas & Electric

Device Number	Description	Electrical/Gas Loading	Dimensions (mm)
SAE540-10	Salamander Grill With Adjustable Height Heat Source, Electric	2kW 240/50/1 (fuse at 10A)	400 x 450 x 500
HSAE560M-10	Salamander Grill With Adjustable Height Heat Source, Electric	4kW 230/50/1 (fuse at 20A)	600 x 450 x 500
SAE560-11	Salamander Grill With Adjustable Height Heat Source, Electric	4kW 400/50/3 (fuse at 10A)	600 x 450 x 500
SAE650M-10	Salamander Grill with Adjustable Height Grilling Shelf, Electric	4kW 240/50/1 (fuse at 20A)	750 x 400 x 350
SAE650-11	Salamander Grill with Adjustable Height Grilling Shelf, Electric	4kW 400/50/3 (fuse at 10A)	750 x 400 x 350
SAG660-11	Salamander Grill with Adjustable Height Grilling Shelf, Gas	19,789 BTU (5.8kW)	750 x 400 x 350
SET1-10	Salamander Grill With Three Fixed Rack Positions, Electric	2kW 230/50/1 (fuse at 10A)	540 x 400 x 390
IRB36E-1	Salamander Grill With Infra Red Burner & Pistol Grip Height Adjustment, Gas	30,000 BTU (8.8kW) Natural Gas	915 x 485 x 495
IRB36E-2	Salamander Grill With Infra Red Burner & Pistol Grip Height Adjustment, LPG Gas	30,000 BTU (8.8kW) LP Gas	915 x 485 x 495



The benchmark for quality and innovation

0844 888 7777

ROI: 01246 0248

Hobart UK, 51 The Bourne, Southgate, London N14 6RT. Fax No. 020 8886 0450  
[www.hobartuk.com](http://www.hobartuk.com)